



केन्द्रीय माध्यमिक शिक्षा बोर्ड

(मानव संसाधन विकास विभाग भारत सरकार के अधीन एक स्वायत्त संस्थान)
प्रीत विहार, दिल्ली - 110 092, भारत



संबद्धता प्रमाण - पत्र

107109

यह प्रमाणित किया जाता है कि दरबारी लाल डी ए वी मॉडल स्कूल, बीएन ब्लॉक, शालीमार बाग,
दिल्ली-110052

बोर्ड की माध्यमिक (कक्षा-10)

एवं यरिष्ठ माध्यमिक (कक्षा-12) स्तर तक की परीक्षाओं के लिए केन्द्रीय माध्यमिक शिक्षा बोर्ड, दिल्ली से अस्थायी रूप से संबद्धता प्राप्त है तथा इस विद्यालय की संबद्धता संख्या 2730117 है।

[Signature]

सचिव

केन्द्रीय माध्यमिक शिक्षा बोर्ड

[Signature]

अध्यक्ष

केन्द्रीय माध्यमिक शिक्षा बोर्ड

दिनांक : 12 नवंबर, 2015

विद्यालय की संबद्धता की वर्तमान स्थिति जानने के लिए कृपया बोर्ड की वेबसाइट www.cbse.nic.in का उपयोग करें।

Central Board of Secondary Education

(An Autonomous Organisation under the Union Ministry of Human Resource Development, Govt. of India)

PREET VIHAR, DELHI - 110 092, INDIA

CERTIFICATE OF AFFILIATION

This is to certify that DARBARI LAL D.A.V. MODEL SCHOOL, BN BLOCK, SHALIMAR BAGH,

DELHI-110052

is provisionally affiliated

with Central Board of Secondary Education, Delhi for Secondary (Class-X) and Senior Secondary (Class-XII) Level Examinations of the Board and the Affiliation Number of the school is 2730117

[Signature]

Secretary

Central Board of Secondary Education

[Signature]

Chairman

Central Board of Secondary Education

Date: 12th November, 2015

For current status of affiliation of the school, please visit CBSE website : www.cbse.nic.in

DL D.A.V. MODEL SCHOOL
SHALIMAR BAGH
DELHI-110058

PRINCIPAL
DARBARI LAL D.A.V. MODEL SCHOOL
BN BLOCK, SHALIMAR BAGH
DELHI



Certificate of Registration of Societies.

ACT XXI OF 1860.

No. 59 of 1948-1949.

I hereby certify that 'Dayanand Anglo-Vedic College Trust & Management Society.'

has this day been registered under the Societies Registration Act, 1860 of 1860.

Given under my hand at Kalka.

this 20th day of June.

One thousand nine hundred and Forty Eight.
Fee. Rs. 10/ Only.

Registrar of Joint Stock Companies.
East Punjab.

S. G. 30

806

430—(11-1029)—12,240—2,000.

No 5525 dt: 2.7.48.

Attested

पंजाब मशीन

पंजाब मशीन
पंजाब
Registrar of Firms & Societies
17 Haveli, Delhi.

Signature

MANAGER

DL D.A.V. MODEL SCHOOL
SHALIMAR BAGH
DELHI-110068

General Secretary

D.A.V. College Managing Committee
Chitra Gupta Road, New Delhi-110028

Signature

PRINCIPAL

DARBARI LAL D.A.V. MODEL SCHOOL
BN BLOCK, SHALIMAR BAGH
DELHI



केन्द्रीय माध्यमिक शिक्षा बोर्ड
Central Board of Secondary Education
संबद्धता - School Affiliation Re-engineered Automation System 2.0 (SARAS
2.0)



Letter Details

NO : CBSE/2730117/EX-03876-2324/2023-24/

Dated: 29/09/2022

The Manager,
DARBARI LAL D A V MODEL SCH SHALIMAR BAGH DELHI
BN BLOCK,SHALIMAR BAGH
DELHI,NORTH WEST DELHI, 110052
(M: 011-27473634)

SUBJECT: -Extension of General Affiliation up to Secondary/Senior Secondary Level .

This is with reference to school application on the subject cited above. In this connection, I am directed to convey the approval of the Board for Extension of General Affiliation as per details given below:-

Affiliation No used as User ID for both OASIS and LOC/Registration System	2730117
School No	85148
Affiliated for	Extension of General Affiliation
Category	Extension of Affiliation
Period of affiliation	01.04.2023 to 31.03.2028

The above sanction is subject to fulfillment of following conditions:-

1. The approval is based upon the documents /data/information uploaded by the school online. The school will be responsible for its genuineness. In case of any discrepancies, necessary action will be initiated against the school as per Affiliation Bye -Laws-2018.
 2. The school will follow the RTE Act, 2009 and instructions issued thereon by the CBSE/Respective State /UT Govt. from time to time. The school will also abide by the conditions prescribed, if any, by the State Government concerned.
 3. The School is required to apply on online for extension of affiliation along with the requisite fee and other documents as per Rule 10.3 of Affiliation Bye Laws.
 4. The school should go through the provision of Affiliation and Examination Bye Laws and subsequent amendment therein as well as circulars and guidelines /instructions issued by the Board time to time and keep a copy there of for reference purpose and is also advised to regularly visit CBSE websites i.e., <http://cbseacademic.nic.in/> & <http://cbse.nic.in/> for updates.
 5. The school to renew mandatory certificates from time to time.
 6. The school shall be solely responsible for any legal consequences arising out of the use of school name/logo/society/trust or any other identity /activity related to running of school affiliated to CBSE. All legal expenses incurred by the Board, if any, arising out of these circumstances, shall be borne by the school.
- "The school shall possess valid fire safety certificate and Building safety certificate during functioning of the school which shall be renewed from time to time as per norms".**

DEPUTY SECRETARY/JOINT SECRETARY (AFF.)

ENROLMENT TABLE

SN	Location of School	Campus area	Affiliation Allowed	Optimum No. of Sections (From classes I/VI to X/XII)
A	Areas/Cities mentioned in clause 3.6	1600 sqm	Up to Class-X only	10
B	Areas/Cities mentioned in clause 3.6	2400 sqm	Up to Class-XII	24
C	Areas/Cities mentioned in clause 3.6	3200 sqm	Up to Class-XII	28
D	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	2000 sqm	Up to Class-X only	10

E	Class-X Cities (Clauses 3.5) and Areas mentioned in clause 3.7	3000 sqm	Up to Class-XII	24
F	Class-X Cities (Clause 3.5) and Areas mentioned in clause 3.7 and Areas/Cities mentioned in clause 3.4	4000 sqm	Up to Class-XII	28
G	Pan India (Clause 3.3)	6000 sqm	Up to Class-XII	38
H	Pan India (Clause 3.2)	8000 sqm	Up to Class-XII	48
I	Pan India (Clause 3.2)	>8000 sqm	Up to Class-XII The number of sections shall be restricted in accordance with 'H' above with land requirement unit scaled down to 2000 square meters i.e. 12 sections for every 2000 square meter additional land.	
· The total number of sections taken together for classes XI and XII should not be more than 1/3 of optimum number of section allowed on the basis of land holding for any school.				
· The number of sections and students shall be restricted as per the actual facilities in the school.				
· For class rooms of size less than 500 sq feet the enrolment shall be 0.08 X size of class rooms in sq feet				

Important Notes : NA

School is required to appoint special educator & wellness teacher as per affiliation bye laws.

This is an electronically generated document. It does not need any signature.

To verify the authenticity of the document , please visit (<http://www.saras.cbse.gov.in/saras/AffiliatedList/ListOfSchdirReport> (<http://www.saras.cbse.gov.in/saras/AffiliatedList/ListOfSchdirReport>)).

PRINT



AAKUNDLI ANALYTICAL LABORATORY PVT. LTD.

AN ISO 9001:2015, ISO 14001:2015, ISO 45001:2018 (OHSAS) CERTIFIED LABORATORY

272, Phase-IV, Sec-57, HSIIDC, Kundli, Sonapat-131028 (Haryana)

Ph. : 7082301442, 9250014551 Email : aalkundli@gmail.com

Website : www.aalkundli.com

TEST CERTIFICATE

Page 1 of 1

Issued To: M/s Darbari Lal DAV Model School
BN-Block, Shalimar Bagh,
New Delhi-110 088

Report No. AAL WQT-20220516001

Date of Receiving: 16/05/2022

Date of Storing: 16/05/2022

Date of Completion: 19/05/2022

Date of Reporting: 19/05/2022

Sample Quantity: 1 Litre

Sample Packing Condition: Plastic Bottle

Sample Submitted By: Customer

Sample Description: One Sample described as R.O Water, was received.

TEST RESULT

S. No.	Test parameters	Unit	Results	Requirements As per IS: 10500-2012		Testing Method	Conformity
				Acceptable Limit	Permissible Limit		
1	Colour	Ptaco	<5.0	5 Max.	15 Max.	IS 3025(P-4)-2021	Yes
2	Odour	-	Agreeable	Agreeable	Agreeable	IS 3025(P-5)-2018	Yes
3	Taste	-	Agreeable	Agreeable	Agreeable	IS 3025(P-7)-2017	Yes
4	Turbidity	NTU	<1.0	1 Max.	5 Max.	IS 3025(P-10)-1984	Yes
5	pH Value	-	6.94	6.5-8.5	No relaxation	IS 3025(P-11)-1983	Yes
6	Total Hardness (as CaCO ₃)	mg/l	21.0	200 Max.	600 Max.	IS 3025(P-21)-2009	Yes
7	Iron (as Fe)	mg/l	<0.1	1.0 Max.	No relaxation	IS 3025(P-33)-2003	Yes
8	Chlorides (as Cl)	mg/l	16.0	250 Max.	1000 Max.	IS 3025(P-32)-1988	Yes
9	Residual free chlorine	mg/l	Nil	0.2 Min. (free chlorine)	1.0 Min. (free chlorine)	IS 3025(P-26)-1986	-
10	Total Dissolved Solids	mg/l	64.0	500 Max.	2000 Max.	IS 3025(P-16)-1984	Yes
11	Fluoride (as F)	mg/l	<0.1	1.0 Max.	1.5 Max.	IS 3025(P-60)-1984	Yes
12	Total Coliform	Per 100ml	Absent	Should not be detectable in any 100ml sample		IS 1622-1981	Yes

Remark: The above listed parameters meet the requirement of IS: 10500-2012.

End of Report

Ramesh Kumar
PRINCIPAL

DARBARI LAL D.A.V. MODEL SCHOOL
BN BLOCK, SHALIMAR BAGH
DELHI

Ashutosh Srivastava
MANAGER

DL D.A.V. MODEL SCHOOL
SHALIMAR BAGH
DELHI-110008

Vinay Dixit
(Microbiologist)

Ashutosh Srivastava
(SR. ANALYST)
Authorized Signatory

- Note: 1. The Result indicated above refer to the tested sample and listed test parameters only, endorsement of products is neither inferred nor implied.
2. Total liability of our laboratory is limited to the invoice amount.
3. This report shall not be reproduced wholly or in part without written consent of the laboratory.
4. This report shall not be used in any advertising media or as evidence in the court of law without prior written consent of the laboratory.
5. The non-perishable sample received shall be destroyed after 30 days and perishable sample shall be destroyed after 7 days from the date of issue of report unless specified.



NORTH DELHI MUNICIPAL CORPORATION
(Office of the Deputy Health Officer)
PUBLIC HEALTH DEPARTMENT
A-1 BLOCK, KESHAV PURAM ZONE, DELHI-110035

No. DHO/KPZ/2021/160

Dated : 19/5/2022

SCHOOL HEALTH CERTIFICATE

Date of Inspection	:	23.09.2021
1. Name of the School	:	M/s Darbari Lal DAV Model School
2. Location	:	BN Block, Shalimar Bagh, Delhi-110088
3. Timing of School	:	07:45 a.m. to 02:00 p.m.
4. No. of Students	:	Total = 4259 (Boys - 1649 & Girls - 2610)
5. No. of Toilets	:	Total = 79 (Boys - 36 & Girls - 43)
6. No. of Urinals	:	Total = 89 (Boys - 46 & Girls - 43)
7. No. Water Taps	:	Total = 93 (Direct - 65 & Water Cooler - 28)

Parameters Checked from Health Point of View


1. Sufficiency of Area	:	The floor area in the classroom is sufficient.
2. Lighting	:	The classes are well lighted.
3. Ventilation	:	The classrooms are well ventilated.
4. Cleanliness	:	The classrooms are kept neat & clean.
5. Requirement of White Wash etc.	:	Building/ Classrooms do not require white wash etc.
6. Drinking Water	:	The drinking water is wholesome.
7. Latrine Arrangement	:	The latrine arrangement is sanitary & hygienic.

In view of the above submissions this Health certificate is being issued in favour of this school by the undersigned, after being fully satisfied and having NO OBJECTION FROM HEALTH POINT OF VIEW.

Smt. Reena Rajpal (Principal)
M/s Darbari Lal DAV Model School
BN Block, Shalimar Bagh, Delhi-110088

• Office Copy


PRINCIPAL
DARBARI LAL D.A.V. MODEL SCHOOL
BN BLOCK, SHALIMAR BAGH


Deputy Health Officer
Keshav Puram Zone



MANAGER
D.L.D.A.V. MODEL SCHOOL
SHALIMAR BAGH
DELHI-110088

BUILTECH SERVICES INC.

D-38, SECOND FLOOR, ACHARYA NIKETAN,

MAYUR VIHAR -1, NEW DELHI-110091

PHONE: 011-22794681; +91-9899005606

E-mail: jnc.builttechservice@yahoo.co.in

Ref: Audit BSI-ST-SCH-DEL-21-007

TO WHOMSOEVER IT MAY CONCERN

CERTIFICATE OF STRUCTURAL SAFETY

DARBARI LAL DAV MODEL SCHOOL, SHALIMAR BAGH, DELHI-110088

BN BLOCK BUILDINGS

[To be jointly submitted by Structural Engineer (Empanelled with MCD and Institution of Engineers, India and Owner of the building).

The following certificate is submitted after site visit. Nondestructive tests done by another highly reputed Lab agency, and proper investigations for BN Block Buildings, of Darbarilal DAV Model School, Shalimar Bagh, New Delhi- 110088

- (i) Certified that this structural stability certificate has been issued after taking into consideration:
- (a) The National Building Code of India, including the structural design of foundation, masonry, timber, plain concrete, reinforced concrete, pre-stressed concrete and structural steel shall be carried out in accordance with Part-VI structural design, section-1 loads, section-2 foundation, section-3 wood, section-4 masonry, section-5 concrete and section-6 steel of National Building Code; and
- (b) All relevant standards prescribed by Bureau of Indian Standards, whichever applicable, on visual basis only, including the standard given in, IS: 4326-1993, IS: 13828-1993, IS: 13935-1993, IS: 456-2000, IS: 800-1984, IS: 801-1975, IS: 875 (Part 2): 1987, IS: 875 (Part 3): 1987, IS: 875 (Part 4): 1987, IS: 883:1966, IS: 1904:1987, IS: 1905:1987, for general structural Safety, against mild earthquake forces.
- (ii) Certified that the above-mentioned building [including tangible items on its rooftops, Water storage capacity, Air conditioning units, etc. as exists as on date, fulfils all the structural safety and safety requirements, as per the recommendations of the above mentioned IS codes only, and no further loadings shall be permitted in future.
- (iii) Detail Audit Report with all the retrofitting suggestions and detailed NDT reports are being submitted with the Structural safety report.
- (iv) The Client must adhere to the recommendations and complete the retrofitting works, as suggested, asap. The Certificate is valid for three years from the date it is issued, provided there is no structural alteration is done to the building and no further loading is applied.

SIGNED BY:

Signature of Structural Engg.

Name of Structural Engg.

Mr. Jitendra Kumar

Address of Structural Engg.

D-38, Acharya Niketan, Mayur Vihar Phase-I,

New Delhi-110091.

MCD Licence No: SE/0455

Date : 10.09.2022


JITENDRA KUMAR
(Structural Engineer)
B.E (Civil) M. Tech (Structure)
AM090575-6

Continued on page 2

STRUCTURAL ENGINEERING, PROJECT MANAGEMENT CONSULTANCY AND RETROFITTING

PRINCIPAL

DARBARI LAL D.A.V. MODEL SCHOOL

BN BLOCK, SHALIMAR BAGH

DELHI



In addition to the certification given at Sl. No. (i) And (ii) above, It is also certified that:

- (ii) Any tangible item on the rooftop of the above-mentioned building (as exists as on date), such as Telecom Tower(s), DG sets, Water storage capacity, Air conditioning units, etc., are in accordance with the necessary permissions / clearances etc.
- (iii) The owner(s) of the above-mentioned building shall be liable for any miss-happening arising out of non-adherence to the statutory compliances, including structural safety of the building.

SIGNED BY


Signature of Owner(s):

Name of the Owner(s):

Address of Owner(s):

Date

10-09-2022


PRINCIPAL
DARBARI LAL D.A.V. MODEL SCHOOL
BN BLOCK, SHALIMAR BAGH
DELHI

BSI

PTA Member

Mrs. Reena Rajpal, Hony. Chairman

Mr. Mayank Mohan
Hony. Vice Chairman (Parent)

Ms. Latika Agarwal
Hony. Vice Chairman (Teacher)

Mr. Deepak Gupta
Hony. Joint Secretary (Parent)

Ms. Sonia Gill
Hony. Asst. Secretary (Teacher)

Mrs. Meenakshi Khatri
Hony. Treasurer (Teacher)

Mrs. Kanchan Arora
Member

Ms. Sarika Gupta
Member

Ms. Meenakshi Jain
Member


PRINCIPAL
DARBARI LAL D.A.V. MODEL SCHOOL
BN BLOCK, SHALIMAR BAGH
DELHI


MANAGER
DL D.A.V. MODEL SCHOOL
SHALIMAR BAGH
DELHI-110088

DIRECTORATE OF EDUCATION:DELHI
(PLANNING BRANCH)

No.F.III/D.V/Zone.III/85-86/2388-P/g Dated 27-3-86

To

The Manager,
D.A.V.Model School,
Shalimar Bagh,
Delhi.

Sub:- Upgradation of School from Middle to Secondary level
with effect from Academic Session 1986-87 (without aid).

Sir,

With reference to your application on the subject cited above, I am directed to convey the approval of the Director of Education, Delhi, for the upgradation of the existing Middle to Secondary level with effect from 1986-87 session subject to the fulfilment of following terms and conditions:-

1. That the School shall abide by the provisions of Delhi School Education Act & Rules framed thereunder as well as the instructions issued from time to time.
2. That the school shall admit students without any discrimination of caste and creed.
3. That the school shall equip the Science Lab. as per norms of the Department and suitable facilities for practical work shall be provided to the students.
4. That a proper library shall be established and facilities for reading-rooms shall also be made available for students as well as teachers. Books as per the ratio of 10 books per student may be added. More books of Rs.10,000 may be purchased.
5. That the adequate sports material shall be purchased and made available to the students immediately.
6. That the school shall strictly abide by the provisions of Sec.10(1) of the Delhi School Education Act & Rules, 1973.
7. That the enrolment of each section shall not exceed the number of students calculated @ 12sq.ft. per student for the available floor area of the class-room and the school shall provide adequate and sufficient accommodation as per the norms of the Directorate of Education in each class. Number of sections should not exceed the number of existing class-rooms of proper size in the school.
8. That the school shall not run any un-recognised classes or any other activities within the school premises and all the recognised classes shall be run at one place at the above address only. Un-recognised classes be removed from the premises of the school immediately.
9. That the school shall be dispense with the services of unqualified and over-staff, if any, immediately.

10. That the scheme of management shall be got approved from the Department immediately.
11. That the service contract between the management and the employees shall be executed immediately.
12. That all the facilities prescribed under Rules 50 and 51 of the DSER, 1973 shall be made available to the students.
13. That the management for cold drinking water shall be made available to all the students as well as to the teachers and sanitary facilities shall also be provided to the students adequately. Health Certificate may be obtained from the Local Body within a month.
14. That the management of the school shall create a Reserve Fund of Rs.10,000/- (Rupees Ten Thousand only).
15. That the violation of any instruction/orders/conditions/rules and regulations of the Department shall lead to the withdrawal of recognition of the school.
16. That the Nursery classes will not run in the building occupied by the School.
17. That class XI shall not be added without the prior permission of DE.
18. That the school will not apply for Grant-in-Aid for the additional requirement as a consequence of the upgradation till the ban is lifted.
19. That the report about the fulfilment of the above conditions giving the extent to which each condition is fulfilled shall be sent to Education Officer every 6 month.

DA V Model School
Shahdara Bagh

Yours faithfully,

K. Alkumaria
(K. ALKUMARIA) 21/3/86

ASST. DIRECTOR OF EDN. (SCHOOLS)
DELHI.

No.F.III/D.A./ZOD-III/85-86/1389-97pgs dated 27-3-86

Copy to the:-

- | | |
|-------------------------------|-----------------------------|
| 1. DDE (North/E.C. Zone.III). | 5. P.D. (Sect. Unit). |
| 2. DDE (Capital Works). | 6. Master File (Plg.Br.) |
| 3. DDE (Act). | 7. Secretary to E.C.(Edn.). |
| 4. Secretary, DSE, | 8. H.C. (Plg.). |

K. Alkumaria

(K. ALKUMARIA) 21/3/86

ASST. DIRECTOR OF EDN. (SCHOOLS)
DELHI.

(1)

DEPARTMENT OF EDUCATION, DELHI
(PLANNING BRANCH)

D.P. Zone-III/83/ 6142

Dated: 30.5.84

The Manager,
D.A.V. Model School,
Shalimar Bagh,
Delhi.

Sub:-

Grant of composite recognition to the school from class I-VIII (without A.I.) with effect from 1984-85 session subject to the fulfilment of the following terms and conditions as a Day School in I Shift.

Sir,

With reference to your application on the subject cited above, recognition to your school is granted from class I-VIII (without A.I.) w.e.f. 1984-85 subject to the fulfilment of the following terms and conditions:-

1. That the school shall abide by the provisions of Delhi School Education Act & Rules framed thereunder as well as the instructions issued from time to time.
2. That the school shall admit students without any discrimination of caste and creed.
3. That the school shall appoint full time qualified and eligible staff for all classes of the school, as per the present norms of the department.
4. That the management of the school shall not enhance fees of the school without the prior permission of Director of Education and no development fee shall be charged from any students.
5. That the school shall equip the Science Lab as per the norms of the department and suitable facilities for practical work shall be provided to the students and Science Textbook worth Rs. 5000/- may be purchased immediately.
6. That a proper library shall be established and facilities for reading shall also be made available for students as well as teachers. Books as per the ratio of 10 books per student shall be added. Books worth Rs. 3000/- may be purchased immediately.
7. That all sports material shall be purchased and made available to the students. Games material worth Rs. 5000/- may be purchased immediately.
8. That the school shall strictly abide by the provisions of Sec. 13(3) of the Delhi School Education Act & Rules, 73.

Contd. P/2.

9. That the enrolment in section shall not exceed the number of students calculated @ 12 sq.ft. per student for the available floor area of the classroom and the school shall provide adequate and sufficient accommodation as per the norms of the Dte. of Edu., Delhi in each class. Number of sections should not exceed the number of existing classrooms of proper size in the school.
10. That the school shall not run any pre-primary and unrecognised classes or any other activities within the school premises and all the recognised classes shall be run at one place at the above address only. Nursery classes be removed from the premises of the school, if any.
11. That the school shall dispense with the services of unqualified and overaged staff, if any, immediately.
12. That the scheme of management shall be got approved from the department immediately.
13. That the service contract between the management and the employees shall be executed immediately.
14. That all the facilities prescribed under Rules 50 and 51 of DCEA, 1973 shall be made available to students and the provision of Rules 6, 7, 8 and 9 strictly be observed.
15. That the arrangements for good drinking water shall be made available to all the students as well as to the teachers and sanitary facilities shall also be provided to the students adequately. Health Certificate may be obtained from the local body within a month.
16. That the management of school shall create a reserve fund of Rs. 5000/- (Rupees Five Thousand Only) in a joint account in the name of the Director of Education, Delhi and the Manager of the school in any scheduled bank within a month.
17. That class IX shall not be added to the school without the prior permission of the Director of Education, Delhi.
18. That in the event of violation of any instructions/orders/conditions/rules and regulations of the Department shall lead to the withdrawal of recognition of the school.
19. That the management of the school will procure land from DDA through the Department and shall construct a suitable building as per the specifications of the department within a period of 2 years from the date of recognition of the school. The normal size of the room is 20' x 24'.
20. That a report about the fulfilment of the above conditions giving the extent to which each condition is fulfilled shall be sent to the Education Officer every six months.

Yours faithfully,

O.P. Kelkar
(O.P. KELKAR)

DIRECTOR OF EDUCATION, DELHI

Dated: 20/5/84

B(CW) 4. RO(Stat.)

2.

O.P. Kelkar
(O.P. KELKAR)

No.P.Zone-III/83/ 6143 -
Copy forwarded to the
1. DDE(North)/E.O.Zone-III
5. DDE(Acc). 6. Mag

DIRECTORATE OF EDUCATION DELHI
(PLANNING BRANCH)

No. F.DE/Zone-III/D.N/88/1870

Dated: 19-2-88

To

The Manager,
D.J.V. Model School,
Shalimar Bagh,
Delhi.

Sub:- Upgradation of school from secondary to Senior Secondary level w.e.f. academic session 1988-89 (without aid) in Arts, Commerce and Science.

Sir,

With reference to your application on the subject cited above, I am directed to convey the approval of the Director of Education, Delhi for the upgradation of the existing secondary school to senior secondary level with effect from 1988-89 session subject to the fulfilment of the following terms and conditions:-

1. That the school shall abide by the provisions of Delhi School Education Act and Rules framed thereunder as well as the instructions issued from time to time.
2. That the school shall admit the students without any discrimination of caste and creed.
3. That the school will meet the additional liability of senior secondary classes by appointing more staff as per the norms of the department and subject-wise PGTs appointed at the time of selection of the teachers.
4. That the school shall establish and equip all the three separate science Labs. as per the norms of the Department/ CBSE. Separate Lab. Asstt. for each shall also be appointed.
5. That a proper library shall be established and facilities for reading room shall also be made available for students as well as teachers. Books as per the ratio of 10 books per students may be added and more approved standard books for senior classes and reference books for teachers shall be added by July, 1988 and a qualified librarian be appointed.
6. That more sports materials for out-door games shall be purchased and made available to the students immediately during 1988-89.

Contd. p/2..

7. That the school shall strictly abide by the provisions of section 10(i) of the Delhi School Education Act and Rules, 1973 and payment shall be made through crossed cheque. Service agreement shall be executed with all the members of the staff and recommendation of the IVth Pay Commission shall be implemented strictly and arrears if any be given immediately.
8. That the scheme of management of the school may be got approved from the Department immediately if approved, list of the members shall be submitted to DDE(Act).
9. That the enrolment of each section shall not exceed the number of students calculated @12 sq.ft. per student for the available floor area of the class room and the school shall provide adequate and sufficient accommodation as per the norms of the Directorate of Education in each class. Number of sections should not exceed the number of existing class rooms of proper size in the school and each class room, science labs. and library rooms may be fitted with proper electrical appliances.
10. That the school not run unrecognised classes or any other activities within the school premises and all the recognised classes shall be run at one place at the same address only. Nursery classes be removed from the premises of the school immediately.
11. That the school shall dispense with the services of unqualified and over-aged staff, if any, immediately.
12. That the service contract between the management and the employee shall be executed immediately.
13. That all the facilities prescribed under Rule 50 and 51 of the Delhi School Education Rules, 1973 shall be made available to the students.
14. That the arrangement for good drinking water shall be made available to all the students as well as to the teachers and sanitary facilities shall also be provided to the students adequately. Health Certificate may be obtained from the Local Body within a month.
15. That the management of the school shall create a Reserve Fund of Rs.15000/- (Rupees fifteen thousand) only in the name of the Director of Education and the Manager of the school.

Contd..p/3..

16. That the violation of any instructions/orders/conditions/rules and regulations of the Department shall lead to withdrawal of recognition of the school.
17. That the school building shall be constructed within a period of two years.

Yours Faithfully,

105 Bhandari
(Dr. K. S. Bhandari) 17/1/88
Addl. Director of Education (Schools)
Delhi.

No. D.E./Zone-III/D.O./88/1071-78 Dated: 19-2-88

Copy forwarded to the :-

1. DDE (Distt. North) .
2. Education Of. Meer, Zone-
3. DDE (Det).
4. DDE (Capital Works).
5. R.O. (Stat. Unit).
6. Master file (Pl.).
7. Concerned file.
8. Secretary, CBSE, 2/42, Sant Vihar, Darya Ganj, New Delhi for affiliation purpose.

105 Bhandari 19/1/88
(Dr. K. S. Bhandari)
Addl. Director of Education (Sch.)
Delhi.

COLLEGE MANAGING COMMITTEE, CHITRA GUPTA ROAD, NEW DELHI - 55

List of the members of the LMC up to December, 2025

DL-023

Name of the School: Darbari Lal DAV Model School, B.N. Block, Shalimar Bagh-110088 (Delhi)

S.No.	Name	Designation	Address
1	MR. AJAY SURI	CHAIRMAN	SECRETARY, DAVCMC, F-225, FIRST FLOOR, NEW RAJINDER NAGAR, NEW DELHI
2	MR. H. L. BHATIA	VICE-CHAIRMAN	SECRETARY, DAVCMC, N-9/7, DLF, PHASE-II, GURGAON (HARYANA)
3	MRS. SNEH VERMA	MANAGER	HEAD, KULACHI HANS RAJ MODEL SCHOOL, PHASE-III, ASHOK VIHAR-110052 (DELHI)
4	MR. M. L. SEKHRI	MEMBER	VICE PRESIDENT, DAVCMC, 44, FF, BHARTI ARTIST COLONY, VIKAS MARG, DELHI-110092
5	MRS. S. CHANDLA	MEMBER	ROAD NO.19, HOUSE NO.18, EAST PUNJABI BAGH, DELHI - 110026
6	MR. S. K. SINGHAL	MEMBER	F-14, ASHOK VIHAR, PHASE-1, DELHI-110052
7	MRS. ANITA WADHERA	MEMBER	EX-PRINCIPAL, DLDAV MODEL SCHOOL, PITAMPURA, LD-27, PITAMPURA, DELHI
8	HEAD	MEMBER	DL DAV PUBLIC SCHOOL, ND BLOCK, PITAMPURA, DELHI
9	HEAD	MEMBER	HEAD, D.A.V. PUBLIC SCHOOL, B-6, SECTOR-7, ROHINI-110085 (DELHI)
10	HEAD	MEMBER	HEAD, D.A.V. PUBLIC SCHOOL, PUSHPANJALI ENCLAVE, OUTER RING ROAD, NEAR SARASWATI VIHAR, PITAMPURA-110034 (DELHI)
11	HEAD	MEMBER	HEAD, ARVIND GUPTA D.A.V CENTENARY PUBLIC SCHOOL, MODEL TOWN, BEHIND POLICE QTRS., NEAR NAINI LAKE MODEL TOWN-110009 (DELHI)
12	HEAD	MEMBER	HEAD, DAV CENTENARY PUBLIC SCHOOL, SECTOR B-4, POCKET - 5, DDA NARELA PROJECT NARELA-110040 (DELHI)
13	HEAD	MEMBER	HEAD, DAV NURSERY SCHOOL, OUTRAM LINES, KINGSWAY CAMP-110009 (DELHI)
14	ADVISORY BOARD NOMINEE	MEMBER	ADDRESS WITH THE SCHOOL
15	ADVISORY BOARD NOMINEE	MEMBER	ADDRESS WITH THE SCHOOL
16	DIRECTORATE OF EDUCATION NOMINEE	MEMBER	ADDRESS WITH THE SCHOOL
17	DIRECTORATE OF EDUCATION NOMINEE	MEMBER	ADDRESS WITH THE SCHOOL
18	PARENTS' REP.	MEMBER	ADDRESS WITH THE SCHOOL
19	TEACHERS' REP.	MEMBER	ADDRESS WITH THE SCHOOL
20	TEACHERS' REP.	MEMBER	ADDRESS WITH THE SCHOOL
21	HEAD	EX-OFFICIO-MEMBER-SECY.	HEAD OF THE SCHOOL

I. Head of the school will operate all the school accounts (except DAV College Managing Committee account of the school) jointly with the Chairman/Vice-Chairman/Manager of the school.

C.C. To

1. Head of the School
2. Section Officer (PS Dept.)
3. CAAO
4. DAV Centre for Acad. Exc.
5. Bank concerned through
6. Concerned File
7. Head of the School


Signature

Director (Public Schools)

Note:- Any Correspondence/Communication relate to Department-Delhi Fire Service shall be share on Mail id:- director.dlfire@delhi.gov.in

GOVERNMENT OF NATIONAL CAPITAL TERRITORY OF DELHI
HEAD QUARTERS: DELHI FIRE SERVICE, CONNAUGHT PLACE
NEW DELHI

No. F6/DFS/MS/School/WZ/2025/545

Dated: 24/04/2025

FIRE SAFETY CERTIFICATE

Certified that the Darbari Lal DAV Model School, located at BN-Block, Shalimar Bagh, Delhi-110088, comprised of Two Blocks (BLK-1= Basement + Ground + 02 Upper Floors & BLK-2= Ground + 03 Upper Floor only, was issued FSC by this department vide letter No F6/DFS/MS/School/WZ/2021/659 dated 27/08/2021. The premises was re inspected by the officer concerned by this department on 25/03/2025 in the presence of Sh. Sanjay Gupta (Admin Officer A/C) and observed that all the fire prevention & fire safety arrangements provided in the premises found in good working condition. The building/premises have deemed complied with fire prevention and fire safety requirements in accordance with NBC Part-IV and the building/ premises is fit for occupancy class "Educational" (Group -B) with effect from 24/04/2025 for a period of three years in accordance with rule 36 unless renewed under rule 37 or sooner cancelled under Rule 40 and subject to compliance of the conditions under rule 38 of the Delhi Fire Service Rules, 2010. Condition mentioned below.

Issued on 24/04/2025 at New Delhi.

(Atul Garg)
Director

Copy to:

1. The Director, Director of Education, Old Secretariat, Delhi-110054..
2. The Principal, Darbari Lal DAV Model School, located at BN-Block, Shalimar Bagh, Delhi-110088. Email Id- officedldavsb@gmail.com.

Conditions for the validity of FSC:-

1. All the fire safety arrangements provided therein shall be maintained in good working condition at all times.
2. Any loss of life or property due to non-functional fire safety measures shall be at the risk and responsibility of the management.
3. The trained staff should be available round the clock.
4. Any deviations w.r.t. construction shall be verified by the concerned building sanctioning agency.
5. The Fire Safety Certificate may not be treated in any case for regularizations of unauthorized construction/unauthorized use of land if any.
6. The certificate may not be treated in any case for the regularization of the unauthorized construction, if any.
7. The owner/ occupier shall apply for renewal of this Fire Safety Certificate to the Director in Form 'J' [sub rule (1) of rule 37] along with a copy of this certificate, six months prior to its expiry.
8. The owner/occupier shall submit a declaration every year in the form 'K' provided in the first schedule of Delhi Fire Service Rules 2010, form is available on www.dfs.delhigovt.nic.in
9. The basement shall be used as per BBI.